

# Automatyczne monorail 2

## 6400

**Maximum detail size** W500 H2400 D2000mm

**Conveyor speed** 1m/min

**Hall dimensions** 21000x16000mm

**Conveyor length:** 125mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H



## 7583

**Maximum detail size** W600 H2500 D3000mm

**Conveyor speed** 1.5m/min

**Hall dimensions** 30600x20000mm

**Conveyor length:** 180mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

ROMER - Producent wysokiej jakości lakierni proszkowych

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



**10813**

**Maximum detail size** W600 H2500 D3000mm

**Conveyor speed** 1.5m/min

**Hall dimensions** 30600x20000mm

**Conveyor length:** 180mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

ROMER - Producent wysokiej jakości lakierni proszkowych



**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



**10812**

**Maximum detail size** W300 H2000 D2000mm

**Conveyor speed** 1.5m/min

**Hall dimensions** 16000x14000mm

**Conveyor length:** 107mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 6 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H



## 6591

**Maximum detail size** W300 H2000 D2000mm

**Conveyor speed** 1.5m/min

**Hall dimensions** 16000x14000mm

**Conveyor length:** 107mb

**Surface preparation:** 5-stage tunnel car wash MT1-5

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 6 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H



## 7178

**Maximum detail size** W500 H2500 D2500mm

**Conveyor speed** 1.5m/min

**Hall dimensions** 53000x14000mm



ROMER - Producent wysokiej jakości lakierni proszkowych

**Conveyor length:** 170mb

**Surface preparation:** 5-stage tunnel car wash MT1-5

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



## 8318

**Maximum detail size** W300 H1500 D2000mm

**Conveyor speed** 1.2m/min

**Hall dimensions** 37300x10000mm

**Conveyor length:** 135mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H

3000


Rozładunek

3000

Załadunek

1500

Prędkość liniowa: 2,7m/min  
Długość łopaty: ~220m



**8688**

**Maximum detail size** W500 H1600 D2500mm

**Conveyor speed** 1m/min

**Hall dimensions** 50000x14000mm

**Conveyor length:** 175mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 6 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs


**panel dryer Workpiece measurement system:** BP-H2000 W1300

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H



Wykres 1/10 - rzut  
Długość całego systemu - 175m  
Długość sekcji w płaszczyźnie - 34m (w tym 4m bębny)  
Długość sekcji w płaszczyźnie - 10m (w tym 2m bębny)



## 8902

**Maximum detail size** W500 H2600 D3000mm

**Conveyor speed** 1m/min

**Hall dimensions** 42000x16000mm

**Conveyor length:** 165mb

**Surface preparation:** 5-stage tunnel car wash MT1-5

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



## 9053

**Maximum detail size** W80 H500 D500mm

**Conveyor speed** 1m/min

**Hall dimensions** 60000x10000mm

**Conveyor length:** 125mb

ROMER - Producent wysokiej jakości lakierni proszkowych

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



**Vertical axis Z:** MA1-18 manipulator - 2pcs

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-8H



**9266**

**Maximum detail size** W1000 H2000 D2000mm

**Conveyor speed** 1m/min

**Hall dimensions** 30500x20000mm

**Conveyor length:** 145mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

**Vertical axis Z:** MA1-18 manipulator - 2pcs



ROMER - Producent wysokiej jakości lakierni proszkowych

**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H3000 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H



**9751**

**Maximum detail size** W500 H2000 D2500mm

**Conveyor speed** 0.7m/min

**Hall dimensions** 28800x14800mm

**Conveyor length:** 115mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

**Vertical axis Z:** MA1-18 manipulator - 2pcs


**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W900

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H





**10807**

**Maximum detail size** W500 H2000 D2500mm

**Conveyor speed** 1m/min

**Hall dimensions** 35000x20000mm

**Conveyor length:** 140mb

**Surface preparation:** 3-stage tunnel car wash MT1-3

**Drying after surface preparation:** PA-1

**Automatic painting:** Plastic cabin with gates in two axes for quick color changes KAP-1

**Polymerization:** Panel oven PA-1

**Transport system:** Monorail chain conveyor TA-1

**Application:** dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

**Powder center:** ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


**Vertical axis Z:** MA1-18 manipulator - 2pcs


**Horizontal axis X:** Access axle MX1-100 - 2 pcs

**panel dryer Workpiece measurement system:** BP-H2000 W1300

**Paint return:** CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

**Dust Collector:** Final filter OZ-12H





ROMER